BERMUDA

PHARMACY AND POISONS (THIRD AND FOURTH SCHEDULE AMENDMENT) ORDER 2019

BR / 2019

The Minister responsible for health, in exercise of the power conferred by section 48A of the Pharmacy and Poisons Act 1979, makes the following Order:

Citation

1 This order, which amends the Pharmacy and Poisons Act 1979 ("the Act"), may be cited as the Pharmacy and Poisons (Third and Fourth Schedule Amendment) Order 2019.

Amends Third Schedule

- 2 The Third Schedule to the Act is amended—
 - (a) by inserting the following in their appropriate alphabetical and chronological place—

Adalimumab Aflibercept Anakinra Apixaban Apremilast Asparaginase Astemizole Bevacizumab Botulinum Toxin Brexpiprazole Canagliflozin Ceftolozane Crisaborole Daclizumab Dalteparin Dapagliflozin Denosumab Desoximetasone, Desoxymethasone

Dexlansoprazole Dextroamphetamine, Dexamphetamine Dicyloverine, Dicyclomine Dolutegravir Dulaglutide Edoxaban Eluxadoline Empagliflozin Enoxaparin Estrogens, conjugated Etanercept Etonorgestrel Etoricoxib Evolocumab Glecaprevir Glycopyrrolate Guanfacine Hydroquinone ms 4% and above Ibogaine Infliximab Ivermectin Ixekizumab Ledipasvir Linagliptin Linaglotide Liraglutide Lisdexamphetamine, Lisdexamfetamine Lurasidone if sold or recommended for the prevention of Meclizine, Meclozine nausea of pregnancy Methoxy Polyethylene Glycol-Epoetin Beta Nicotinoyldihydrocodeine, Nicodicodine Nitroglycerin, Glyceryl Trinitrate Nordiazepam, Nordazepam **Obeticholic Acid** Ocrelizumab Oseltamivir

Palbociclib Pancreatin Pancrelipase Pembrolizumab Peramivir Pibrentasvir Piperacillin Propiverine Hydrochloride' Ranibizumab Rifaximin Rilpivirine Rituximab Rupatadine Sarilumab Secukinumab Sevelamer Hydrochloride Sofosubir Somatrophin, Somatotropin Sulfamethoxazole, Sulphamethoxazole Sulfamethoxazole / Trimethoprim, Co-trimoxazole Sulfonamide, Sulphonamide Tazobactam Terfenadine Teriflunomide Ticagrelor Thioguanine, Tioguanine Tinzaparin Tofacitinib Ustekinumab Vedolizumab Velpatasvir Vernakalant Vilanterol Vitamin D 50,000 units and above Vortioxetine Voxilaprevir 5-FU, Fluorouracil 6-MP, Mercaptopurine

(b) by deleting the following—

Asparaginase, L-Atenolol Clotrimazole Desloratadine Fexofenadine Miconazole Procainamide Durules Pyrantel Quinine and Urea Rauwolfia (Serpentina and Vomitoria) Valerian Preparations Veratrum (green and white)

"

"

(c) by correcting the drugs listed in the First Column with the drugs provided in the Second Column—

";

First Column	Second Column
Aconite Belladonna and	Aconite Belladonna and Chloroform
Chloroform Liniment BPC 1968	Liniment BP 1968
Adiciilin	Adicillin
Albuterol	Albuterol, Salbutamol
Amoxycillin	Amoxycillin,
	Amoxicillin
Amyl Nitrite Vitrellae BPC	Amyl Nitrite Vitrellae BP
Bendrofluazide	Bendrofluazide,
	Bendroflumethazide
CCNU Capsules	CCNU, Lomustine
Chlorodyne BPC	Chlorodyne BP
Chloroform and Morphine Tincture	Chloroform and Morphine Tincture
BPC	BP
Cocillana Compound Syrup BPC 1949	Cocillana Compound Syrup BP 1949
Codeine - for non-parental use with ms greater than 8mg calculated as	Codeine - for non-parenteral use with ms greater than 8mg calculated as
base	base
Colocynth and Jalap Compound Tablets BPC 1963	Colocynth and Jalap Compound Tablets BP 1963
Co-trimoxazole	Co-trimoxazole, Sulfamethoxazole/
Co-trimoxazole	Trimethoprim
Desoxymethasone	Desoxymethasone,
5	Desoximetasone
Dexamphetamine	Dovomphotomino
(Dextroamphetamine,	Dexamphetamine, Dextroamphetamine
Dexamfetamine)	Dextroamphetamine
Dicyclomine	Dicyclomine, Dicyloverine

Diethyl Propion Dihydrallazine Sulphate **Dronabinol** (Marinol) Factorate Fluorouracil Folic Acid Frusemide Furosemide **Glyceryl** Trinitrate Histidine, L-Ibuprofen Injectables - all Injections - all preparations for human use Lead and Opium Lotion BPC 1959 Levonorgestrel Lisdexamfetamine (Lisdexamphetamine) Lomustine Meclozine Mercaptorpurine Nabiximols (Sativex) Nicodicodine (6-Nicotinoyldihydrocodeine) Nordazepam aka nordiazepam Norgestrel (d-Norgestrel) Nystatin Omeprazole Oral contraceptives all Orlistat Paregoric B.P. Phytomenadione Phytonadione Potassium chloride - if for nonparenteral medicinal use Pyroglutamyl, L-histidyl-L-proline Amide, L Salbutamol

Diethylpropion Dihydralazine Dronabinol Factor VIII Fluorouracil, 5-FU Folic acid - md greater than 1mg Frusemide. Furosemide Furosemide, Frusemide Glyceryl Trinitrate, Nitroglycerin Histidine Ibuprofen - md greater than 400mg Injectables - except insulins Injections - except insulins Lead and Opium Lotion BP 1959 Levonorgestrel - except levonorgestrel 1.5mg Lisdexamfetamine, Lisdexamphetamine Lomustine, CCNU Meclozine. Meclizine Mercaptopurine, 6-MP Nabiximols Nicodicodine. Nicotinoyldihydrocodeine Nordazepam, Nordiazepam Norgestrel Nystatin - except for topical use Omeprazole - ms greater than 10mg Oral contraceptives - except for levonorgestrel 1.5mg Orlistat - ms greater than 60mg Paregoric BP Phytomenadione, Phytonadione Phytonadione, Phytomenadione Potassium chloride - ms greater than 99mg Pyroglutamyl Salbutamol. Albuterol

Somatotropin (Somatrophin) Sulfasalazine

Sulphasalazine

Sulphonamides - all

Sulphamethoxazole

Tioguanine/Thioguanine Tripsin - if for internal use Somatotropin, Somatrophin Sulfasalazine, Sulphasalazine Sulphasalazine Sulfasalazine Sulphonamide, Sulfonamide Sulphamethoxazole, Sulfamethoxazole Tioguanine, Thioguanine Trypsin

".

Amends the Fourth Schedule

3 The Fourth Schedule to the Act is amended—

(a) in Part I by inserting the following in their proper alphabetical place—

"	Clotrimazole -	for topical use
	Desloratadine	
	Diabetic Diagnostic Reagents and	
	Tests	
	Diclofenac -	for topical use
	Fexofenadine	
	Flurbiprofen	oral lozenges
	Hydroquinone -	ms 2%
	Ibuprofen -	for topical use and md 400mg orally
	Iodoquinol, Di-	for topical use
	iodohydroxyquinoline -	lor topical use
	Isoconazole	for topical use
	Itraconazole -	for topical use
	Ketoprofen -	in oral preparations with ms 75 mg, in
	-	preparations for external use
	Miconazole -	for topical use
	Minoxidil	topical use, ms 2%
	Meclizine, Meclozine	
	Naproxen Sodium -	ms 220mg
	Permethrin	
	Polyethylene glycol -	for oral use
	Pyrantel	
	Ranitidine -	ms 75mg
	Scopolamine, Hyoscine -	in preparations for external use, in
		preparations for internal use with ms
		0.15%

Terbinafine -Thimerosal, Thiomersal

"

for external use only when used as a skin antiseptic

";

(b) in Part I by deleting the following—

Aspirin
Calcium with Vitamin D tablets BPC
Castor oil
Cyanocobalamin
Halibut liver oil capsules
Hyoscine butylbromide
Lithium carbonate
Lithium sulphate
Phenylpropanolamine
Senna

(c) in Part I by correcting the drugs listed in the First Column with the drugs provided in the Second Column—

";

First Column Aconitine - Eye drops, neutral BPC in preparations for external use Alkaline Eye Drops BPC Chlorhexidine - if for administration into the nasal or oral cavities, - if for use specifically as a bath additive,	Second Column Aconitine - Eye drops, neutral BP in preparations for external use Alkaline Eye Drops BP Chlorhexidine - if for administration into the nasal or oral cavities, for use specifically as a bath additive, if impregnated onto gauze dressing for direct application to a wound
Chlorpheniramine if impregnated onto gauze dressing for direct application to a wound	Chlorpheniramine
Di-iodohydroxyquinoline - for topical preparations for the skin Diabetic Diagnostic Reagents all Diabetic diagnostic tests	Di-iodohydroxyquinoline, iodoquinol - for topical use
Folic Acid - if in preparations for internal use and md 500 micrograms	Folic Acid - ms 1 mg
Gamma Benzene Hexachloride	Gamma Benzene Hexachloride, Lindane

	Histidine, L-		Histidine
	Hyoscine		Hyoscine, Scopolamine
	Kaolin Poultice BPC		Kaolin Poultice BP
	Lachesine Eye Drops BPC		Lachesine Eye Drops BP
	Lead Subacetate Solution, BPC	Dilute	Lead Subacetate Solution, Dilute BP
	Lead Subacetate Solution, S BPC	Strong	Lead Subacetate Solution, Strong BP
	Lignocaine - in preparatio external use and ms 0.7% i preparations for non-paren Lindane	n	Lignocaine - in preparations for external use and ms 4% in preparations for non-parenteral use Lindane, Gamma Benzene Hexachloride
	Meclozine		Meclozine, Meclizine
	Pholcodine - if for non-par use and in undivided prepa with ms 1.5% (calculated a and md 20 mg (calculated a - if for non-paren	urations s base) as base)	Pholcodine - 5mg/5ml Linctus BP
	and in single-dose preparat	ions with	
	ms per dosage unit 1.5% (c as base) and md 20 mg (cald base)		
	Phytomenadione		Phytomenadione,
	1 ny comenciatione		Phytonadione
	Resorcinal		Resorcinol
	Thiomersal		Thiomersal,
			Thimerosal
	Tyloxapol Tyrothricin		Tyrothricin
	Vitamin D 1000-50,000 I.U dosage unit	. per	Vitamin D- 1,000 - 49,999 IU per dosage unit
	Zinc Sulphate Eye Drops B	PC	Zinc Sulphate Eye Drops BP ";
	(d) in Part II paragraph 1 by inserting the following in their proper alphabeti place—		the following in their proper alphabetical
"	Chloramphenicol -	for ophthalm	nic use
	Codeine -		nteral use and ms 8mg calculated as
	Epinephrine, Adrenaline		
	Esomeprazole -	ms 20mg	
	Fluconazole -	0	nd mdd 150mg
Hyoscine butylbromide - in preparations for external use			
	, , , , , , , , , , , , , , , , , , ,		ons for internal use (other than

Lansoprazole	ms 15mg
Minoxidil	for topical use ms 5%
Nitroglycerin, Glyceryl	tablets and sublingual spray
Trinitrate -	
Nystatin -	for topical use only
Omeprazole -	ms 10mg
Orlistat -	ms 60mg
Ranitidine -	ms 150mg
Terconazole -	for vaginal use
Triamcinolone Acetonide -	nasal spray ms 55 mcg/spray

(e) in Part II paragraph 1 by deleting the following—

";

Astemizole
 Folic Acid
 Ibuprofen
 Injections
 Isoconazole Preparations
 Phenylpropanolamine
 Terfenadine

"

(f) in Part II paragraph 1 by correcting the drugs listed in the First Column with the drugs provided in the Second Column—

";

Adrenaline Bacitracin - in topical preparations for	Adrenaline, Epinephrine r Bacitracin - for topical use
auricular or local ophthalmic use Clotrimazole - if in preparations for external or vaginal use	Clotrimazole - if in preparations for external or vaginal use
Hyaluronidase - if in preparations for external use Hydrocortisone in preparations for topical use ms 0.5% i preparations for external use and ms 1%	Hyaluronidase - for external use n
Hydrocortisone - in preparations for topical use ms 0.5% in preparations for external use and ms 1%	
Isoconazole - if in preparations for external or vaginal use	Isoconazole - if in preparations for external or vaginal use
Itraconazole - if in preparations for external or vaginal use	Itraconazole - if in preparations for external or vaginal use
Levamizole	Levamisole
Levonorgestrel - if for use as an emergency contraception	Levonorgestrel - ms 1.5mg if for use as an emergency contraception

Miconazole - for external application to Miconazole - if in preparations for the skin, or for oral use or vaginal use external or vaginal use Neomycin - in preparations for external Neomycin - for topical use only use with ms 3.5 mg per gram

".

Made this day of 2019

Minister of Health